

# Spring 2014 International Limousin Genetic Evaluation

## Summary Statistics

The following summary statistics are presented for the Spring 2014 International Limousin Genetic Evaluation. They are for use as a rapid reference in comparing and evaluating Expected Progeny Differences (EPDs) from the genetic evaluation. More detailed information on the EPDs can be found in the Limousin Sire Summary, at [www.limousin.com](http://www.limousin.com).

### Current Sires

	GL* (days)	CED (%)	BW (lbs)	WW (lbs)	YW (lbs)	PWG* (lbs)	Milk (lbs)	CEM (%)	SC (cm)	ST (%)	DOC (%)	CW (lbs)	REA (in <sup>2</sup> )	YG (%)	Fat* (in)	MARB (units)
Average	-1.4	8.4	1.9	45.6	82.6	35.7	22.5	4.0	0.4	19.2	17.7	21.5	0.53	-0.09	-0.004	-0.03
Minimum	-6.0	-8.6	-6.5	3.9	29.6	12.8	-1.2	-13.6	-0.9	3.4	-18.4	-29.7	-0.35	-0.51	-0.060	-0.32
Maximum	2.7	31.4	9.4	86.0	135.0	70.6	51.8	19.2	2.2	40.6	47.7	96.9	1.42	0.29	0.160	0.38
Std Dev	1.3	4.6	2.0	10.0	15.7	8.3	6.0	3.9	0.4	4.8	9.8	17.2	0.22	0.10	0.025	0.08
Upper %																
1	-4.9	22	-3.5	70	121	59.8	38	14	1.5	30	40	63	1.08	-0.29	-0.060	0.17
2	-4.3	20	-2.8	67	116	56.2	36	13	1.3	29	38	60	1.01	-0.26	-0.050	0.14
3	-4.1	18	-2.5	65	114	53.9	35	12	1.2	28	37	55	0.96	-0.25	-0.040	0.13
4	-3.7	18	-2.1	64	112	52.8	34	11	1.1	27	36	53	0.93	-0.24	-0.040	0.12
5	-3.6	17	-1.8	63	110	50.8	33	10	1.1	27	34	51	0.90	-0.23	-0.039	0.11
10	-3.1	14	-0.7	59	103	47.0	30	9	0.9	25	31	44	0.83	-0.20	-0.030	0.08
20	-2.4	12	0.4	54	96	41.6	27	7	0.7	23	26	36	0.71	-0.17	-0.020	0.04
30	-2.0	10	1.1	50	90	38.9	25	6	0.6	22	22	31	0.65	-0.14	-0.020	0.01
40	-1.6	9	1.6	48	86	36.6	24	5	0.5	21	20	25	0.58	-0.12	-0.010	-0.02
50	-1.3	8	2.1	45	82	34.8	22	4	0.4	19	17	21	0.53	-0.10	-0.010	-0.04
60	-1.0	7	2.5	43	78	33.3	21	3	0.3	18	15	16	0.47	-0.07	0.000	-0.06
70	-0.7	6	2.9	40	74	31.1	20	2	0.2	17	13	12	0.41	-0.04	0.000	-0.07
80	-0.3	5	3.4	37	70	28.9	18	1	0.1	15	10	7	0.34	0.00	0.010	-0.09
90	0.0	3	4.1	34	64	26.3	15	-1	-0.1	14	6	0	0.25	0.04	0.020	-0.13
Count	669	1,672	1,675	1,675	1,675	669	1,679	1,672	1,607	793	1,421	1,402	1,402	282	1,376	

Current Sires are those males that have sired a calf within the last two years.

\* GL is for Canadian Sires only

\* PWG is for Canadian Sires only

\* Fat is for Canadian Sires only.

# Spring 2014 International Limousin Genetic Evaluation

## Current Dams

	GL*	CED	BW	WW	YW	PWG*	Milk	CEM	SC	ST	DOC	CW	REA	YG	Fat*	MARB
	(days)	(%)	(lbs)	(lbs)	(lbs)	(lbs)	(lbs)	(%)	(cm)	(%)	(%)	(lbs)	(in <sup>2</sup> )	(%)	(in)	(units)
Average	-0.9	8.0	2.0	42.4	77.4	31.4	22.0	3.8	0.3	18.7	16.5	16.7	0.48	-0.10	-0.007	-0.03
Minimum	-5.9	-7.1	-5.8	-1.7	14.7	-8.0	-10.6	-11.3	-0.9	1.4	-24.6	-39.5	-0.25	-0.48	-0.070	-0.33
Maximum	3.1	27.5	9.1	91.5	137.8	65.1	52.1	16.5	1.8	36.2	42.6	81.1	1.23	0.31	0.090	0.37
Std Dev	1.1	4.4	1.8	8.8	14.1	6.7	6.2	3.6	0.3	4.6	9.1	14.5	0.21	0.09	0.015	0.07
Upper %																
1	-3.9	20	-2.6	63	111	48.7	38	12	1.2	32	36	52	0.95	-0.3	-0.040	0.16
2	-3.4	18	-2.0	61	107	46.1	36	11	1.1	30	34	46	0.89	-0.3	-0.030	0.13
3	-3.2	17	-1.7	59	104	44.5	34	11	1.0	29	33	43	0.86	-0.3	-0.030	0.11
4	-3.0	16	-1.4	58	102	43.5	34	10	0.9	28	32	41	0.83	-0.2	-0.030	0.10
5	-2.9	16	-1.1	57	101	42.6	33	10	0.9	27	31	40	0.81	-0.2	-0.030	0.09
10	-2.4	14	-0.4	54	96	40.0	30	9	0.8	25	28	35	0.74	-0.2	-0.020	0.06
20	-1.8	12	0.5	50	89	37.0	27	7	0.6	22	24	29	0.66	-0.2	-0.020	0.02
30	-1.4	10	1.2	47	85	34.6	25	6	0.5	21	21	25	0.60	-0.2	-0.010	0.00
40	-1.1	9	1.7	45	81	32.8	23	5	0.4	20	19	21	0.54	-0.1	-0.010	-0.02
50	-0.8	8	2.1	42	77	31.2	22	4	0.3	18	17	17	0.48	-0.1	-0.010	-0.04
60	-0.6	7	2.5	40	73	29.5	20	3	0.2	17	14	13	0.43	-0.1	-0.010	-0.06
70	-0.3	6	3.0	38	70	27.9	19	2	0.1	16	12	9	0.37	-0.1	0.000	-0.07
80	0.0	4	3.5	35	66	25.9	17	1	0.0	15	9	4	0.30	0.0	0.000	-0.09
90	0.4	3	4.2	31	60	23.1	15	-1	-0.1	13	5	-2	0.22	0.0	0.010	-0.12
Count	6,291	17,433	17,470	17,470	17,470	6,291	17,526	17,433	16,756	9,822	14,592	13,798	13,798	13,798	1,113	13,518

Current Dams are those females that have had a calf within the last two years.

\* GL is for Canadian Dams only

\* PWG is for Canadian Dams only

\* Fat is for Canadian Dams only.

# Spring 2014 International Limousin Genetic Evaluation

## 2012-2013 Born Calves

	GL* (days)	CED (%)	BW (lbs)	WW (lbs)	YW (lbs)	PWG* (lbs)	Milk (lbs)	CEM (%)	SC (cm)	ST (%)	DOC (%)	CW (lbs)	REA (in <sup>2</sup> )	YG (%)	Fat* (in)	MARB (units)
Average	-1.2	9.3	1.5	46.4	84.3	34.5	22.8	4.8	0.5	19.8	21.5	26.2	0.56	-0.07	-0.004	-0.01
Minimum	-6.7	-5.8	-6.0	11.9	37.9	11.7	1.9	-8.9	-0.8	6.9	-18.3	-31.8	-0.11	-0.36	-0.030	-0.23
Maximum	3.1	27.5	9.6	86.5	137.0	63.0	44.5	15.7	1.8	29.5	43.5	78.0	1.28	0.31	0.040	0.36
Std Dev	0.99	4.3	1.9	8.4	13.0	6.4	4.7	3.3	0.3	4.2	8.9	12.4	0.17	0.08	0.012	0.07
Upper %																
1	-3.7	21	-3.1	67	114	51.7	35	13	1.2	28	39	54	0.94	-0.25	-0.030	0.18
2	-3.3	20	-2.5	64	111	49.4	33	12	1.1	28	37	51	0.89	-0.23	-0.020	0.16
3	-3.1	19	-2.2	62	109	47.9	32	12	1.1	27	36	49	0.87	-0.22	-0.020	0.14
4	-3.0	18	-1.9	61	107	46.7	32	11	1.0	27	36	47	0.85	-0.21	-0.020	0.12
5	-2.9	17	-1.7	60	106	45.9	31	11	1.0	26	35	46	0.83	-0.20	-0.020	0.11
10	-2.5	15	-1.0	57	101	42.8	29	9	0.9	25	33	41	0.77	-0.17	-0.020	0.08
20	-2.1	13	0.0	53	95	39.4	27	8	0.7	24	29	36	0.70	-0.14	-0.010	0.05
30	-1.7	11	0.7	51	91	37.4	25	6	0.6	22	27	33	0.65	-0.12	-0.010	0.03
40	-1.5	10	1.2	48	88	35.6	24	5	0.6	21	25	30	0.61	-0.10	-0.010	0.01
50	-1.2	9	1.7	46	84	34.1	23	5	0.5	20	22	27	0.57	-0.08	0.000	-0.01
60	-0.9	8	2.1	44	81	32.6	21	4	0.4	19	20	24	0.52	-0.06	0.000	-0.03
70	-0.7	7	2.5	42	77	31.0	20	3	0.3	18	17	20	0.47	-0.03	0.000	-0.04
80	-0.3	6	3.0	39	73	29.2	19	2	0.2	16	14	16	0.41	0.00	0.000	-0.06
90	0.0	4	3.7	36	68	26.6	17	1	0.1	14	10	10	0.33	0.04	0.010	-0.09
Count	9,026	17,836	17,958	17,958	17,958	9,026	18,145	17,836	16,160	674	12,737	12,728	12,728	12,728	432	12,560



\* GL is for Canadian Calves only.

\* PWG is for Canadian Calves only.


\* Fat is for Canadian Calves only.

# Spring 2014 International Limousin Genetic Evaluation

## Standardized Limousin International Genetic Trends



# Spring 2014 International Limousin Genetic Evaluation



## Possible Change Values (plus or minus)

Accuracy	CE (%)	GL (days)	BW (lbs)	WW (lbs)	YW (lbs)	CEM (%)	MA (lbs)	SC (cm)	ST (%)	DOC (%)	CW (lbs)	REA (in <sup>2</sup> )	FAT (in)	MARB (units)
.00	8.6	1.8	3.0	16.2	24.7	14.8	14.8	0.70	8.6	15.8	36	0.46	0.07	0.24
.10	7.8	1.6	2.8	15.0	22.0	13.7	13.7	0.62	7.7	14.3	32	0.41	0.06	0.22
.20	6.9	1.4	2.5	13.4	19.4	12.2	12.2	0.56	6.9	12.7	29	0.37	0.05	0.20
.30	6.1	1.2	2.2	11.7	16.8	10.8	10.8	0.49	6.0	11.1	25	0.32	0.04	0.17
.40	5.2	1.1	1.9	10.0	14.2	9.2	9.2	0.42	5.2	9.5	22	0.28	0.04	0.14
.50	4.3	0.9	1.6	8.1	11.5	7.4	7.4	0.35	4.3	7.9	18	0.23	0.03	0.12
.60	3.5	0.7	1.3	6.4	9.0	5.8	5.8	0.28	3.4	6.3	14	0.18	0.02	0.10
.70	2.6	0.6	1.0	4.8	6.4	4.3	4.3	0.21	2.6	4.8	11	0.14	0.02	0.07
.80	1.7	0.4	0.7	3.2	3.9	2.9	2.9	0.15	1.7	3.2	7	0.09	0.01	0.05
.90	0.9	0.3	0.4	1.5	2.1	1.4	1.4	0.08	0.9	1.6	4	0.05	0.01	0.02
1.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.0	0	0.00	0.00	0.00

Possible Change Values reflect the accuracy of an EPD and provide a measure of potential change associated with EPD of varying accuracy levels. For a given accuracy, the EPD values of 2/3 of the animals are expected to remain within plus or minus change level.

# Spring 2014 International Limousin Genetic Evaluation

## Definitions

GL – Gestation Length in days

CED – Calving Ease Direct in % unassisted births

BW – Birth Weight in pounds

WW – Weaning Weight in pounds

YW – Yearling Weight in pounds

PWG – Post-weaning gain in pounds

CEM – Maternal Calving Ease in % unassisted births

Milk – Milk (Maternal Ability) in pounds of weaned calf

TM – Total Maternal in pounds of weaned calf ( $1/2$  WW + MA)

SC – Scrotal in centimetres

ST – Stayability in percent probability

DOC – Docility in percent probability

CW – Carcass Weight in pounds

REA – Rib-Eye Area in square inches

FAT – backfat EPD in inches

YG – Yield Grade in % USDA Yield Grade Units

MARB – Marbling in USDA Marbling Scores

Std Dev – Standard Deviation, a measure of how much “spread” there is in the population for a particular trait.

## A Note on Standard Curves

The Limousin population (all Limousin Cattle in North America) represents a normal or standard population. This means that the majority of animals will fall in the middle of the curve (near average) and fewer animals will lie towards the outside of the curve for any given trait. The Standard Deviation represents the width or spread of the curve. For any trait, roughly 50% of the cattle will be “above” average, with approximately 2% being more than 2 standard deviations above the average.

